


BUDDY

BUDDY EQUIPMENT

Your Buddy For True Success





BDM180	
Max power	2300W
Max Drill Fit	Φ 160mm
RPM	0-1600
Max freq	50 Hz

Core bits not included



BSM200	
Drive	110 V
Weight	42 lbs
Plate size	12" x 16"
Lifting Capacity	Large : 330lbs Small : 210lbs

BD600	
Engine	B&S VAN GUARD 14 HP
Weight	400kg
Payload Capacity	600kg
Dimension(m)	2.10 x 0.90 x 1.30





Model	BR68	BR60
Engine	Honda GXR120	Honda GXR120
Power	2.98kw(4.0hp)	2.98kw(4.0hp)
Weight	68kg(150lbs)	60kg(132lbs)
Impact Force	12.8kN	12.8kN
Fuel Tank	2.8L	2.8L
Size	350mm x 285mm 13" x 11"	335mm x 265mm 13" x 9"

BD250	
Engine	Honda GXV160
Weight	121kg
Payload Capacity	250kg
Dimension (m)	1.60 x 0.89 x 1.05



BRT350

Engine	Honda GX200 6.5HP
Operating Weight	158kg/348lbs
Centrifugal force	6090LBF
Gradeability	25 degree angle
Travel speed	88 ft/min



BRT500

Engine	Honda GX270 6.7kw/9.0hp
Operating Weight	325kg (717lbs)
Centrifugal force	10116LBF
Gradeability	20 degree angle
Travel speed	79ft/min



BRT700

Engine	Honda GX390 13kw
Operating Weight	315kg/694lbs
Centrifugal force	10341LBF
Gradeability	20 degree angle
Travel speed	79 ft/min






BT65	
Engine	Honda GX160 5.5HP
Operating Weight	65kg/143lbs
Centrifugal force	3500lbs/15.6k N
Plate size	19" x 13"
Max working speed	28m/min

BT85	
Engine	GX160 5.5HP
Operating Weight	85kg/188lbs
Centrifugal force	4500lbs/20kN
Plate size	20" x 16"
Max working speed	28m/min



BT100	
Engine	Honda GX160 5.5HP
Operating Weight	100kg/220lbs
Centrifugal force	5600lbs/25kN
Plate size	22" x 18"
Max working speed	30m/min


MT24	
Engine	Honda GX160
Weight	55kg
Blade Guard	24"
Speed Range (rpm)	75-140



MT36	
Engine	Honda GX160
Weight	76kg
Blade Guard	36"
Speed Range (rpm)	60-125



MT48	
Engine	Honda GX160
Weight	100kg
Blade Guard	48"
Speed Range (rpm)	60-125




Razorcute



**Professional Diamond Blade(Wet/Dry),
For Building materials such as Granite,
Natural Stone, Rebar Concrete, Block,
Brick, Concrete, and Masonry Stone**

Item No.	Description
PLG12-20	12" x .125 x 20mm x 10mm
PLG14-20	14" x .125 x 20mm x 10mm



**Uniform Distributed Diamond
Blade(Wet/Dry), For Building materials
such as Granite, Natural Stone, Rebar
Concrete, Block, Brick, Concrete, and
Masonry Stone**

Item No.	Description
ALG12-20	12" x .120 x 20mm x 12mm
ALG14-20	14" x .120 x 20mm x 12mm



**General Purpose: Block, Brick, Concrete,
Masonry, Stone. Dry/Wet**

Item No.	Description
SDG12-20	12" x .125 x 20mm x 12mm
SDG14-20	14" x .125 x 20mm x 12mm



Item No.	Description
SLG12-20	12" x .120 x 20mm x 10mm
SLG14-20	14" x .120 x 20mm x 10mm



Item No.	Description
PLG16	16" x .135 x 1" x 10mm
PLG18	18" x .145 x 1" x 10mm
PLG20	20" x .155 x 1" x 10mm
PLG24	24" x .187 x 1" x 10mm



Ring Saw Blade For Granite Natural Stone Rebar Concrete Wet/Dry

Item No.	Description
HLG14	14" x .125 x 12mm



Laser Welded Professional Asphalt Blade

Item No.	Description
PLA12-20	12" x .125 x 20mm x 10mm
PLA14-20	14" x .125 x 20mm x 10mm
PLA16	16" x .135 x 1" x 10mm
PLA18	18" x .145 x 1" x 10mm
PLA20	20" x .155 x 1" x 10mm
PLA24	24" x .187 x 1" x 10mm
PLA26	26" x .187 x 1" x 10mm
PLA36	36" x .187 x 1" x 10mm

Razorcut



Cup Wheel

Item No.	Description
PCW05	5" CUP WHEEL
PCW07	7" CUP WHEEL



V-Tuck Point Blade

Item No.	Description
PTV4.5	4.5" TUCK POINT BLADE
PTV5	5" TUCK POINT BLADE



Tuck Point Blade

Item No.	Description
PTP45	4.5" TUCK POINT
PTP05	5" TUCK POINT
PTP07	7" TUCK POINT



Turbo Blade

Item No.	Description
SLG6	6" DIAMOND BLADE

Continue Blade



PLG Series	Description
PLG5	5" CONTINUE TURBO BLADE
PLG6	6" CONTINUE TURBO BLADE
PLG7	7" CONTINUE TURBO BLADE

Porcelain Blade



PBG Series	Description
PBG4.5	4.5" Porcelain Blade
PBG5	5" Porcelain Blade
PBG7	7" Porcelain Blade
PBG12	12" Porcelain Blade

Razortcut



Item No.	Description
BC01	1" CORE BIT
BC01-1/2	1 1/2 " CORE BIT
BC02	2" CORE BIT
BC02-1/2	2 1/2 " CORE BIT
BC03	3" CORE BIT
BC03-1/2	3 1/2 " CORE BIT
BC04	4" CORE BIT
BC04-1/2	4 1/2 " CORE BIT
BC05	5" CORE BIT
BC06	6" CORE BIT
BC07	7" CORE BIT
SCB 3/4	3/4" CORE BIT
SCB1 1/4	1 1/4" CORE BIT
SCB2	2" CORE BIT
SCB2 1/2	2 1/2" CORE BIT

Stone Clamps



SC-03

Lifting Hook for Stone Clamp

BSC-PAD

Rubber pad for Stone Clamp



BSC-04 Max Length: 4";
Max Load Capacity: 500lbs



BSC-12 Max Length: 12";
Max Load Capacity: 600lbs



BSC-23 Max Length: 23";
Max Load Capacity: 900lbs



BSC-32 Max Length: 32";
Max Load Capacity: 2400lbs



BSC-42 Max Length: 42";
Max Load Capacity: 3000lbs